



RAIN TEST CHAMBER TORON-IPX34™

Rain Test Chamber Toron-IPX34™ is designed to evaluate products for IPX3 and IPX4 waterproof ratings. It accommodates various test samples, including electronic components, outdoor lighting, mobile phone casings, and automotive parts. The system features a touch screen interface, an advanced operating system, and enhanced remote control for greater convenience and efficiency.

It adheres to the IEC 60529:1989+A1:1999+A2:2013 standard for "Degrees of Protection Provided by Enclosures (IP Code)."

APPLICATIONS

Standards

- 1. IEC 60529:1989+A1:1999+A2:2013
- 2. ISO 20653
- 3. JIS D0203
- 4. MIL-STD-810H Method 506.6
- 5. IEC 60068-2-18

TECHNICAL SPECIFICATIONS

Inner chamber material D×W×H (mm)	1000*1000*1000
Outer chamber material D×W×H (mm)	1200*1450*1800
Radius of Water spraying ring	400mm
Swing amplitude	±45° □ ±60° □ ±90° □ ±180° (theoretical value)
Rotating speed	1r/min can also be used for speed regulation without joints

Water pipe diameter	φ18mm
Nozzle hole diameter	φ0.4mm
Aperture spacing	50mm
Voltage	2.5(KW)



Torontech Inc.

251 Consumers Road, Suite 1200
Toronto, Ontario, M2J 4R3, Canada 

Phone: +1 416 368 2721 | Fax: +1 416 981 7652
Email: info@torontech.com

Torontech, LLC

601 Brickell Key Drive, Suite 700
Miami, FL 33131, USA 

Toll-Free: 1-866-383-7919
Email: sales@torontech.com

Torontech ME FZE

Meydan Grandstand, 6th Floor,
Meydan Road, Nad Al Sheba,
Dubai-261440, UAE 

Phone: +971 488 19252
Email: me@torontech.com

